Conference 7115

| SESSION 6 |
|---|
| Room: D106 |
| Non-Linear Materials for OCM |
| Session Chair: Hans Dieter Tholl, Diehl BGT Defence GmbH & Co. KG (Germany) |
| 14.00: Review of the development of nonlinear materials for mid-IR generation, Paul D. Mason, QinetiQ Ltd. (United Kingdom)[7115-22] |
| 14.20: Tandem PPKTP and ZGP OPO for mid-infrared generation, Markus Henriksson, Swedish Defence Research Agency (Sweden) and Kungliga Tekniska Högskolan (Sweden); Lars J. Sjöqvist, Swedish Defence Research Agency (Sweden); Gustav Strömqvist, Valdas Pasiskevicius, Fredrik Laurell, Kungliga Tekniska Högskolan (Sweden) |
| 14.40: Synchronous initiation of optical detonators by Q-switched solid laser sources, Jerome Goujon, Olivier Musset, Univ. de Bourgogne (France); Alain Marchand, Christophe Bigot, TDA Armements S.A.S. (France) [7115-24] |
| 15.00: Tunable high-pulse-energy mid-infrared laser source based on optical parametric amplification in ZnGeP2, Magnus W. Haakestad, Norwegian Defense Research Establishment (Norway); Gunnar Arisholm, Espen Lippert, Stephane Nicolas, Gunnar Rustad, Knut Stenersen, Norwegian Defence Research Establishment (Norway) |
| 15.20: Solid state visible Raman laser, Ian Elder, SELEX Sensors and Airborne Systems Ltd. (United Kingdom) |
| Coffee Break |
| SESSION 7 |
| Room: D106 |
| Analysis and Simluation |
| Session Chair: David H. Titterton, Defence Science and Technology Lab. (United Kingdom) |
| 16.10: Countermeasure development using a formalised, metric-based process (Invited Paper), Laurence Barker, Defence Science and Technology Lab. (United Kingdom) |
| 16.40: Use of a transmissometer model for infrared smoke model validation and assessment of obscuration and detection times, Brian Butters, Roy H. Walmsley, Chemring Countermeasures (United Kingdom) [7115-28] |
| 17.00: CW and temporal theoretical model predictions and experimental results for Tm:YAG and Ho:YAG lasers, Eric K. Gorton, John G. Betterton, David A. Orchard, Brian J. Perrett, Paul D. Mason, QinetiQ Ltd. (United Kingdom) |

Room: D106......Tues. 17.10 to 17.15 Closing Remarks

David H. Titterton, Defence Science and Technology Lab. (United Kingdom)

Tandem PPKTP and ZGP OPO for mid-infrared generation

Markus Henriksson 1 , Lars Sjöqvist 1 , Gustav Strömqvist 2 , Valdas Pasiskevicius 2 , Fredrik Laurell 2

¹Swedish Defence Research Agency, Box 1165, 581 11 Linköping, Sweden

²Department of Applied Physics, Royal Institute of Technology, KTH, Roslagstullsbacken 21, 10691 Stockholm, Sweden

Efficient laser sources in the 3 - 5 μm wavelength range are needed for directed infrared countermeasures, but also have applications in remote-sensing, medicine and spectroscopy. We will present new results on our tandem optical parametric oscillator (OPO) scheme for converting the radiation from a 1.06 μm Nd³⁺-laser to the midinfrared. Multi Watt level output power in the 3-5 μm range at 10 kHz pulse repetition frequency is reported. Our setup uses a type I quasi phase-matched PPKTP crystal in a near degenerate OPO to generate 2.13 μm radiation. A volume Bragg grating resonant close to, but not exactly at the degenerate wavelength, is used as a cavity mirror to reduce the bandwidth and ensure singly resonant operation. Both signal and idler from the PPKTP OPO are used to pump a ZGP OPO generating high power radiation in the 3-5 μm region. Using this scheme for each pump photon it is ideally possible to generate four photons all in the interesting wavelength range, thus enabling high efficiency conversion.